

SP-EC


Dry and adiabatic cooling

Engineering data

REMARK: Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at the time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

Last update: 10/05/2019

SP 6A EC D613-E - T613-E



1. Fluid inlet connections; 2. Fluid outlet connections; 3. Pre-cooler water drain; 4. Electrical panel; 5. Pre-cooler city water connection; 6. Pre-cooler piping drain.
On model SP 6A EC D613-E the fluid-in connections are located at the opposite side of the unit.



Model	Nr. of Fans	Weights (kg)			Dimensions (mm)			Air Flow (m ³ /s)		Tube Internal Volume (dm ³)	Surface (m ²)	Connections
		Oper. Weight (kg)	Ship. Weight(kg)	Heaviest Section (kg)	L	W	H	Δ	Υ			
SP 6 A-EC- D613- E	6	4220	3430	3430	7416	2206	2523	43.2	43.2	508.0	4937.0	4
SP 6 A-EC- M613- E	6	4220	3430	3430	7416	2206	2523	43.2	43.2	508.0	4937.0	4
SP 6 A-EC- S613- E	6	4220	3430	3430	7416	2206	2523	43.2	43.2	508.0	4937.0	4
SP 6 A-EC- T613- E	6	4220	3430	3430	7416	2206	2523	43.2	43.2	508.0	4937.0	4